



SIGNAMARK®
DOORS
by TRINITY GLASS

INTERIOR DOORS
The Perfect Door For Every Room

- 
- 6 | LEGACY™
ULTIMATE ARTISTRY
 - 7 | TEXTURE
A GLASS SENSATION
 - 8 | DESIGNER
TRENDY, COZY, PERSONAL
 - 9 | EXPRESSIONS™
REFINED AND GRACEFUL
 - 10 | PRIVACY
DISCRETE AND CHIC
 - 11 | TRADITIONAL
UNDERSTATED GRACE
 - 12 | GRANDEUR™
STATUESQUE ELEGANCE

- 4 | GLASS STYLES & CRAFTSMANSHIP
- 5 | WOOD SPECIES & PRIMED MDF
- 14 | DOOR SPECIFICATIONS
- 15 | FINISHING & MAINTENANCE

FRONT COVER: MILL CREEK™ IN FINISHED PINE
THIS PAGE: RAIN FALL™ IN PAINTED PRIMED MDF
PICTURES DEPICTED IN THIS BROCHURE MAY HAVE BEEN
GRAPHICALLY ENHANCED FOR ILLUSTRATION PURPOSES.



SIGNAMARK[®] DOORS

by TRINITY GLASS

VISIT US ON THE WEB

SIGNAMARK.COM



HELPFUL RESOURCES

INCLUDING:
FINISH INSTRUCTIONS
DOOR SPECIFICATIONS
DOOR WARRANTY



ONLINE SHOWCASE BOOKLET

PRESENTING:
BEAUTIFUL PHOTO GALLERIES
EXQUISITE GLASS DETAILS
INSPIRING IDEAS

GLASS STYLES & CRAFTSMANSHIP

TRADITIONAL TECHNIQUES OF CREATING ART GLASS PRODUCE TEXTURES, SWIRLS AND AIR BUBBLES THAT ADD INDIVIDUAL CHARACTER TO THE GLASS. THESE PURPOSEFULLY UNIQUE QUALITIES ARE INTEGRAL TO THE EXPRESSIVE NATURE OF ART GLASS.



CLEAR GLASS



GRANITE



DOUBLE GRANITE



PORTOFINO



CLEAR TEXTURE



GRAY TEXTURE



RIPPLE WAVE



MONACO



GLUE CHIP



BAMBOO CASTING



HARVEST CASTING



CROSS REED



REEDED



FLUTED



MILL CREEK



RAIN FALL



CORD



SANDSTONE



MICRO SCREEN



HOMEGROWN



MULTI CUBE



CLEAR BEVEL



GLUE CHIP BEVEL



JEWEL

HAND CRAFTED GLASS

DISTINGUISHED BY THEIR ARTISTRY AND CRAFTSMANSHIP, EACH SIGNAMARK GLASS PANEL IS INDIVIDUALLY HANDLED IN A MULTI-STEP PROCESS OF HAND CUTTING, POLISHING AND FINISHING THAT CREATES BEVELED-GLASS DESIGNS REMINISCENT OF FINE CRYSTAL. DECORATIVE CAMINGS ARE HAND MOLDED INTO PLACE, ACCENTUATING THE GENTLE CURVES AND LINES OF EACH ARTISTIC DESIGN. INDIVIDUAL ELEMENTS ARE THEN HAND-PIECED INTO A UNIQUE FINISHED STATEMENT BY OUR TEAM OF SKILLED ARTISANS AND CRAFTSMEN.

SIGNAMARK WOOD SPECIES & PRIMED MDF



PRIMED MDF

SIGNAMARK'S PRIMED MDF OFFERS A DURABLE, PRE-PRIMED SURFACE FOR EASE OF PAINTING AND PERFECT RESULTS.



PINE

THE "MONARCH OF THE FOREST" IS RENOWNED FOR ITS VERSATILITY AND BEAUTY. IT CAN BE STAINED TO COMPLEMENT ANY DÉCOR - CHOOSE A MEDIUM STAIN AND PINE GIVES YOU THE COUNTRY-COMFORT LOOK OF NATURAL WOOD, A LIGHTER STAIN FOR A MODERN, FRESH FEEL, OR A DEEPER TONE FOR OLD-WORLD ELEGANCE. OR PAINT OUR SIGNAMARK PINE TO MATCH ANY COLOR YOU CHOOSE.



RED OAK

A SYMBOL OF STRENGTH AND GRANDEUR FOR CENTURIES, ITS SUMPTUOUS TEXTURE AND GLORIOUS COLOR PLACE RED OAK AMONG THE MOST TREASURED WOODS FOR FINE FURNITURE. SIGNAMARK RED OAK OFFERS A SUPERLATIVE FINISH WITH ANY COLOR STAIN.



CHERRY

SOMETIMES REFERRED TO AS "NEW ENGLAND MAHOGANY," CHERRY IS PRIZED FOR ITS SATINY LUSTER AND GOLDEN GLOW. DEPENDABLE AS IT IS BEAUTIFUL, THIS ELEGANT WOOD IS OFTEN THE FIRST CHOICE FOR CABINETS, DECORATIVE INLAY, AND THE FINEST MUSICAL INSTRUMENTS. CHERRY HAS MELLOW COLORS IN A GENTLE, WAVY GRAIN, AND IS A FAVORITE WOOD FOR WARM-TONED STAIN FINISHES.



MAHOGANY

ALWAYS A WOW: GLORIOUSLY TEXTURED, RICHLY GRAINED AND LUXURIOUS. MAHOGANY CAN BE STAINED IN TRADITIONAL DEEP TONES, OR HIGHLIGHTED WITH A WARM RED-GOLD PALETTE. MAHOGANY ALWAYS MAKES A STATEMENT OF ENDURING MAGNIFICENCE AND GRACE AND RIGHTLY HAS PRIDE OF PLACE AMONG WOODS FOR ITS COMBINATION OF POWER AND BEAUTY.



MAPLE

THE DEFINITIVE HARDWOOD. MAPLE IS STRONG ENOUGH FOR HIGH-TRAFFIC FLOORING - INCLUDING GYMS AND KITCHENS - AND SO BEAUTIFUL IT'S A PREFERRED WOOD FOR HEIRLOOM-QUALITY FURNITURE. STAINING MAPLE CAN CREATE PLEASING VARIATIONS IN COLOR-INTENSITY, BUT IT ALSO PROVIDES AN INCOMPARABLE SURFACE FOR PAINTING, WHICH IS OUR SPECIFIC RECOMMENDATION.

DESIGN PROFILES


MISSION PROFILE:

SINGLE GLAZED DOORS
(80"—FULL LITE, 3-LITE, 5-LITE)
TRIPLE GLAZED DOORS
(80" FULL LITE & 96" 3/4 LITE)


OVOLO PROFILE:

SINGLE GLAZED DOORS
(80"—ALL DOOR STYLES
& 96"—FULL LITE AND 3/4 LITE)

MISSION PROFILE




SINGLE GLAZED DOORS



TRIPLE GLAZED DOORS

OVOLO PROFILE



SINGLE GLAZED DOORS

LEGACY™

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | 5/8" TRIPLE PANE INSULATED GLASS | MISSION PROFILE

BRASS | ZINC | PATINA | WROUGHT IRON



LEHIGH® IN PAINTED PRIMED MDF

15-LITE BEVEL



B375 BRASS
P375 PATINA
Z375 ZINC
2'0" (10-LITE)
2'6"
2'8"
3'0"

LEHIGH®



P700 PATINA
Z700 ZINC
2'0"
2'6"
2'8"
3'0"

PHOENIX™



P710 PATINA
2'0"
2'6"
2'8"
3'0"

PROVENCE™



Z740 ZINC
2'6"
2'8"
3'0"

ST. JANE®



B200 BRASS
2'6"
2'8"
3'0"

PORTOFINO™



W770
WROUGHT IRON
2'6"
2'8"
3'0"

AVAILABLE SIGNAMARK WOOD SPECIES

CHERRY

MAHOGANY

MAPLE

PINE

RED OAK

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED RED OAK FOR ILLUSTRATION PURPOSES ONLY.

TEXTURE

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | SAFETY TEMPERED GLASS
 OVOLO PROFILE (STANDARD ALL SPECIES) |
 MISSION PROFILE (OPTION FOR PRIMED MDF & PINE)

HARVEST CASTING™



G420
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

BAMBOO CASTING™



G460
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

MILL CREEK™



G415
 2'0"
 2'6"
 3'0"

RAIN FALL™



G470
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"



HARVEST CASTING™ IN PAINTED PRIMED MDF

CORD



G457
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

SANDSTONE™



G491
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

MICRO SCREEN™




G481
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

REED



G450
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

THREE LITE REED*■



RO03
 2'0"
 2'6"
 2'8"
 3'0"

FIVE LITE REED*■



RO05
 2'0"
 2'6"
 2'8"
 3'0"

CROSS REED



G455
 2'0"
 2'4"◆
 2'6"
 2'8"
 3'0"

AVAILABLE SIGNAMARK WOOD SPECIES

CHERRY

MAHOGANY

MAPLE

PINE

RED OAK

PRIMED MDF




PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED CHERRY OR PRIMED MDF FOR ILLUSTRATION PURPOSES ONLY.

*AVAILABLE IN PINE AND PRIMED MDF ONLY. ◆AVAILABLE IN PRIMED MDF, PINE, OAK AND MAPLE ONLY. ■ AVAILABLE IN PRIMED MDF (OVOLO OR MISSION PROFILE) AND PINE (MISSION PROFILE) ONLY. PRIMED MDF AND PINE FULL LITES ARE ALSO AVAILABLE IN THE MISSION PROFILE.

DESIGNER

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | SAFETY TEMPERED GLASS
 OVOLO PROFILE (STANDARD ALL SPECIES) | MISSION PROFILE (OPTION FOR PRIMED MDF & PINE)



REEDED PANTRY IN FINISHED CHERRY

VANITY™



V690
 2-SIDED MIRROR
 2'0"
 2'4" ♦
 2'6"
 2'8"
 3'0"

LAUNDRY



E660
 2'6"
 2'8"
 3'0"

HARVEST™



E631
 2'0"
 2'4" ♦
 2'6"
 2'8"
 3'0"

HOMEGROWN™



E630
 2'0"
 2'4" ♦
 2'6"
 2'8"
 3'0"

REEDED PANTRY



E450
 2'0"
 2'4" ♦
 2'6"
 2'8"
 3'0"

AVAILABLE SIGNAMARK WOOD SPECIES

CHERRY

MAHOGANY

MAPLE

PINE

RED OAK

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED MAPLE FOR ILLUSTRATION PURPOSES ONLY.

♦ AVAILABLE IN PRIMED MDF, PINE, OAK AND MAPLE ONLY. PRIMED MDF AND PINE FULL LITES ARE ALSO AVAILABLE IN THE MISSION PROFILE.

EXPRESSIONS™

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | SAFETY TEMPERED GLASS

OVOLO PROFILE (STANDARD ALL SPECIES) | MISSION PROFILE (OPTION FOR PRIMED MDF & PINE)

15-LITE
ILLUSIONS™



G605
2'0" (10-LITE)
2'4" ♦
2'6"
2'8"
3'0"

MONACO™



G640
2'6"
2'8"
3'0"

9-LITE OBSCURE
WAVE GROOVED



G165
2'6"
2'8"
3'0"

9-LITE
V-GROOVE



G139
2'0"
2'4" ♦
2'6"
2'8"
3'0"

SEINE™



G430L LEFT
G430R RIGHT
2'0"
2'6"
3'0"

COSMO™
GROOVED



G170
2'0"
2'6"
3'0"



9-LITE OBSCURE WAVE GROOVED IN PAINTED PRIMED MDF

AVAILABLE SIGNAMARK WOOD SPECIES

CHERRY

MAHOGANY

MAPLE

PINE

RED OAK

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED MAHOGANY FOR ILLUSTRATION PURPOSES ONLY.

♦ AVAILABLE IN PRIMED MDF, PINE, OAK AND MAPLE ONLY. PRIMED MDF AND PINE FULL LITES ARE ALSO AVAILABLE IN THE MISSION PROFILE.

PRIVACY

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | SAFETY TEMPERED GLASS

OVOLO PROFILE (STANDARD ALL SPECIES) | MISSION PROFILE (OPTION FOR PRIMED MDF & PINE)



FIVE LITE MULTI CUBE™ IN FINISHED PINE

PRIVACY



E680
2'0"
2'4" ♦
2'6"
2'8"
3'0"

THREE LITE
PRIVACY* ■



E003
2'0"
2'6"
2'8"
3'0"

FIVE LITE
PRIVACY* ■



E005
2'0"
2'6"
2'8"
3'0"

MULTI CUBE™



E610
2'0"
2'4" ♦
2'6"
2'8"
3'0"

THREE LITE
MULTI CUBE™ ■ ■



M003
2'0"
2'6"
2'8"
3'0"

FIVE LITE
MULTI CUBE™ ■ ■



M005
2'0"
2'6"
2'8"
3'0"

15-LITE TDL
PRIVACY* ■ ■



E015
2'0" (10-LITE)
2'6"
2'8"
3'0"

AVAILABLE SIGNAMARK WOOD SPECIES

CHERRY



MAHOGANY

MAPLE

PINE

RED OAK

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED PINE FOR ILLUSTRATION PURPOSES ONLY.

*AVAILABLE IN PINE AND PRIMED MDF ONLY. **AVAILABLE IN PINE ONLY. ♦ AVAILABLE IN PRIMED MDF, PINE, OAK AND MAPLE ONLY. ■ AVAILABLE IN PRIMED MDF (OVOLO OR MISSION PROFILE) AND PINE (MISSION PROFILE) ONLY. PRIMED MDF AND PINE FULL LITES ARE ALSO AVAILABLE IN THE MISSION PROFILE.

TRADITIONAL

COLLECTION | SIGNAMARK.COM

6'8" HEIGHT | SAFETY TEMPERED GLASS

OVOLO PROFILE (STANDARD ALL SPECIES) | MISSION PROFILE (OPTION FOR PRIMED MDF & PINE)

ONE LITE CLEAR#



CO01
2'0"
2'4" ♦
2'6"
2'8"
3'0"

THREE LITE CLEAR▪



CO03
2'0"
2'6"
2'8"
3'0"

FIVE LITE CLEAR▪



CO05
2'0"
2'6"
2'8"
3'0"

9-LITE MARGINAL TDL



CM09
2'6"
3'0"

10-LITE TDL



CO10
2'0"
2'4"
2'6"
2'8"
3'0"

15-LITE TDL



CO15
2'6"
2'8"
3'0"




THREE LITE CLEAR IN PAINTED PRIMED MDF

AVAILABLE SIGNAMARK WOOD SPECIES

PINE

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED RED OAK, PINE OR PRIMED MDF FOR ILLUSTRATION PURPOSES ONLY.

#ALSO AVAILABLE IN RED OAK, CHERRY, MAPLE AND MAHOGANY. ♦ AVAILABLE IN PRIMED MDF, PINE, OAK AND MAPLE ONLY. ▪ AVAILABLE IN PRIMED MDF (OVOLO OR MISSION PROFILE) AND PINE (MISSION PROFILE) ONLY. PRIMED MDF AND PINE FULL LITES ARE ALSO AVAILABLE IN THE MISSION PROFILE (EXCEPT TDL'S).

GRANDEUR™

COLLECTION | SIGNAMARK.COM

8'0" HEIGHT
5/8" TRIPLE PANE INSULATED GLASS
MISSION PROFILE

BRASS | ZINC | PATINA | WROUGHT IRON



ST. JANE® IN PAINTED PRIMED MDF

15-LITE BEVEL



B8375 BRASS
P8375 PATINA
Z8375 ZINC
2'0" (10-LITE)
2'6"
2'8"
3'0"

LEHIGH®



P8700 PATINA
Z8700 ZINC
2'0"
2'6"
2'8"
3'0"

PHOENIX™



P8710 PATINA
2'0"
2'6"
2'8"
3'0"

PROVENCE™



Z8740 ZINC
2'6"
2'8"
3'0"

ST. JANE®



B8200 BRASS
2'6"
2'8"
3'0"

PORTOFINO™



W8770 WROUGHT IRON
2'6"
2'8"
3'0"

AVAILABLE SIGNAMARK WOOD SPECIES

PINE

PRIMED MDF



PRODUCTS SOLD UNFINISHED.
DOORS SHOWN IN FINISHED PINE FOR ILLUSTRATION PURPOSES ONLY.

8'0" HEIGHT | SAFETY TEMPERED GLASS | OVOLO PROFILE

ONE LITE
CLEAR



C501
2'0"
2'6"
2'8"
3'0"

HEMELGROWN™



E520
2'0"
2'6"
2'8"
3'0"

PRIVACY



E580
2'0"
2'6"
2'8"
3'0"

REED



G550
2'0"
2'6"
2'8"
3'0"

SEINE™



G530L LEFT
G530R RIGHT
2'0"
2'6"
3'0"

VANITY™



V590
2-SIDED MIRROR
2'0"
2'6"
2'8"
3'0"




SEINE™ IN PAINTED PRIMED MDF

AVAILABLE SIGNAMARK WOOD SPECIES

PINE

PRIMED MDF



PRODUCTS SOLD UNFINISHED. DOORS SHOWN IN FINISHED PINE OR PRIMED MDF FOR ILLUSTRATION PURPOSES ONLY.

DOOR SPECIFICATIONS

APPLICATION

THERE ARE MANY APPLICATIONS FOR INTERIOR DOORS, WHETHER AS A SLAB (DOOR ONLY) OR PRE-HUNG SYSTEM. PLEASE REMEMBER TO CONSIDER THE FOLLOWING:

SLAB ONLY APPLICATIONS

SLAB REPLACEMENT: WHEN REUSING AN EXISTING DOOR FRAME AND JUST REPLACING THE INTERIOR DOOR SLAB(S), USE YOUR EXISTING SLAB AS A TEMPLATE FOR THE DOOR WIDTH AND HEIGHT REQUIRED. IF TRIMMING THE DOOR SLAB, IT IS IMPERATIVE THAT YOU FOLLOW THE CUT DOWN GUIDELINES LISTED BELOW.

NOTE: AS WITH ANY SLAB REPLACEMENT, YOUR EXISTING FRAME SHOULD BE PLUMB – SQUARE – AND LEVEL.

POCKET DOORS: WHEN ORDERING A SLAB FOR A POCKET DOOR YOU WILL NEED TO KNOW THE FINISHED OPENING OF THE POCKET DOOR FRAME AS WELL AS THE MAXIMUM WEIGHT ALLOWED FOR THE POCKET DOOR HARDWARE. PLEASE REFER TO THE AVERAGE DOOR WEIGHTS LISTED BELOW.

BI-PASS OR SLIDING DOORS: WHEN ORDERING SLABS FOR A BI-PASS OR SLIDING DOOR APPLICATION, TAKE THE TOTAL FINISHED OPENING TO DETERMINE THE TWO DOOR WIDTHS NEEDED TO FILL THE OPENING. ALLOW APPROXIMATELY 3/4" TO 1" OVERLAP WHERE THE DOOR SLABS MEET IN THE MIDDLE. IT IS ALSO IMPORTANT TO FOLLOW THE RECOMMENDED WEIGHT ALLOWED FOR THE BI-PASS OR SLIDING DOOR HARDWARE TO BE USED.

NOTE: IN MOST POCKET DOOR AND BI-PASS / SLIDING DOOR APPLICATIONS, THE FINISHED OPENING HEIGHT SHOULD BE AT LEAST 81-1/2" TO 81-3/4" FOR AN 80" SLAB, AND 97-1/2" TO 97-3/4" FOR A 96" SLAB. ALWAYS REFER TO THE POCKET DOOR AND BI-PASS / SLIDING DOOR HARDWARE MANUFACTURER'S INSTALLATION INSTRUCTIONS TO DETERMINE THE CORRECT FINISHED OPENING REQUIRED, AND WHAT SIZE SLAB CAN FIT IN THE OPENING. ALSO FOLLOW SIGNAMARK INTERIOR DOOR CUT-DOWN LIMITATIONS.

AVERAGE DOOR WEIGHTS

LEGACY COLLECTION (80")	70-80 LBS	LEGACY COLLECTION (96")	90-100 LBS
TEXTURE COLLECTION (80")	30-40 LBS	TEXTURE COLLECTION (96")	50-60 LBS
DESIGNER COLLECTION (80")	30-40 LBS	DESIGNER COLLECTION (96")	50-60 LBS
EXPRESSIONS COLLECTION (80")	30-40 LBS	EXPRESSIONS COLLECTION (96")	50-60 LBS
PRIVACY COLLECTION (80")	30-40 LBS	PRIVACY COLLECTION (96")	50-60 LBS

NOTE: ALL DOOR WEIGHTS ARE BASED ON AN OAK SLAB WITH A 36" WIDTH.

CUT DOWN / TRIM GUIDELINES

IF TRIMMING IS REQUIRED IN YOUR APPLICATION, PLEASE FOLLOW THE MAXIMUM CUT DOWN SPECIFICATIONS BELOW:

DOOR WIDTH: MAXIMUM 1/4" EACH SIDE, TOTAL WIDTH 1/2"

DOOR HEIGHT: MAXIMUM 1/2" TOP & BOTTOM, TOTAL HEIGHT 1"

PRE-HUNG APPLICATION

IN ANY PRE-HUNG APPLICATION, YOU MUST FIRST DETERMINE YOUR ROUGH OPENING. A GENERAL RULE OF THUMB IS TO TAKE THE SLAB WIDTH & HEIGHT AND DO THE FOLLOWING:

FLAT JAMB APPLICATION: FLAT JAMB – CONSISTS OF A FLAT JAMB WITH DOOR STOP. WHEN MEASURING, ADD 2" TO DOOR SLAB WIDTH AND HEIGHT TO DETERMINE ROUGH OPENING.

NOTE: FOR DOUBLE DOOR APPLICATIONS, TAKE THE WIDTHS OF THE 2 DOOR SLABS + 2", AND THE HEIGHT OF THE DOOR SLAB + 2" TO DETERMINE ROUGH OPENING FOR A DOUBLE DOOR UNIT WITH BALL CATCHES. FOR DOUBLE DOORS WITH ASTRAGAL, FOLLOW THE SAME LOGIC BUT ADD 2-1/2" TO THE WIDTH MEASUREMENT.

SPLIT JAMB APPLICATION: SPLIT JAMB – IS A 2 PIECE JAMB WHERE DOOR CASING IS ALREADY APPLIED TO BOTH SIDES, HINGE SIDE OF FRAME IS INSTALLED (PLUMB-SQUARE-LEVEL) THEN OTHER PART OF THE FRAME IS FITTED INTO THE INSTALLED FRAME AND NAILED IN PLACE. WHEN MEASURING, ADD 2" TO DOOR SLAB WIDTH AND HEIGHT TO DETERMINE ROUGH OPENING.

FINISHING INSTRUCTIONS

PREPARE YOUR NEW DOOR FOR FINISHING

1. SAND THE ENTIRE SURFACE LIGHTLY USING 5/0 SANDPAPER (180 GRIT) BEFORE YOU APPLY FIRST COAT OF FINISH.
2. WIPE DUST AND SAND GRIT FROM DOOR WITH A CLEAN CLOTH – AVOID USING ABRASIVE OR CAUSTIC CLEANERS.

NOTE: EXCESSIVE SANDING COULD DAMAGE VENEER – SIGNAMARK WOOD SPECIES DOORS ARE 1/16" THICK, PRIMED MDF DOORS ARE 1/8" THICK.

FINISHING INTERIOR DOORS

FOR CLEAR OR STAIN FINISH – SIGNAMARK WOOD SPECIES DOORS (NOT RECOMMENDED FOR PRIMED MDF): PREPARE SIGNAMARK DOORS AS LISTED ABOVE. APPLY A BASE COAT OF PRE-SEALER BEFORE STAINING. THEN APPLY STAIN TO DOOR. IN SOME SITUATIONS MULTIPLE COATS MAY BE REQUIRED TO ACHIEVE DESIRED STAIN COLOR. FINISH BY APPLYING TWO COATS OF CLEAR TOP COAT (FOR BEST RESULTS LIGHTLY SAND BETWEEN COATS). FINISH ALL SIX SIDES OF DOOR SLAB WITH STAIN AND TOP COAT.

NOTE: ALWAYS FOLLOW STAIN MANUFACTURER'S INSTRUCTIONS FOR BEST RESULTS. IT IS RECOMMENDED TO USE OUR SIGNAMARK CHERRY, SIGNAMARK MAHOGANY OR SIGNAMARK RED OAK FOR ALL DARK STAIN APPLICATIONS.

FOR PAINT FINISH – PRIMED MDF DOORS (ALTHOUGH ENTIRE LINE OF DOOR PRODUCTS CAN BE PAINTED, PRIMED MDF IS RECOMMENDED FOR BEST PAINTING RESULTS): PREPARE DOOR AS LISTED ABOVE. PRIMED MDF DOORS ARE PRE-PRIMED, SO ALL YOU NEED TO APPLY IS 1-2 COATS OF EITHER LATEX OR OIL BASED PAINT. FOR SIGNAMARK WOOD SPECIES DOORS IT IS RECOMMENDED TO APPLY A PRIME COAT FIRST BEFORE PAINTING. THEN APPLY TWO COATS OF EITHER LATEX OR OIL BASED PAINT. FINISH ALL SIX SIDES OF THE DOOR SLAB WITH PRIMER AND PAINT. NOTE: ALWAYS FOLLOW PAINT MANUFACTURER'S INSTRUCTIONS FOR BEST RESULTS.



PHOENIX™
P710
SIGNAMARK PINE



FIVE LITE MULTI CUBE™
M005
PRIMED MDF



HARVEST™
E631
SIGNAMARK RED OAK




COSMO™ GROOVED
G170
SIGNAMARK MAHOGANY



CROSS REED
G455
SIGNAMARK CHERRY

MAINTENANCE

SIGNAMARK DOORS HAVE BEEN SPECIALLY ENGINEERED USING QUALITY MATERIALS TO BRING YOU YEARS OF LASTING BEAUTY AND PERFORMANCE. ONCE YOU HAVE APPLIED YOUR CHOSEN FINISH YOU SHOULD PERIODICALLY INSPECT YOUR DOORS FOR WEAR. DOORS EXHIBITING ANY SIGNS OF WEAR SHOULD BE MAINTAINED ACCORDING TO THE STAIN OR PAINT MANUFACTURER'S RECOMMENDATIONS.



S SIGNAMARK® DOORS
by TRINITY GLASS

THREE LITE PRIVACY IN FINISHED PINE

INTERIOR DOORS
The Perfect Door For Every Room

SIGNAMARK.COM