



SIGNAMARK® DOORS

by TRINITY GLASS



EXTERIOR DOORS

Prehung Program Offering

SIGNAMARK.COM

FEATURES & BENEFITS

BEAUTY, FUNCTIONALITY, SECURITY AND ENERGY EFFICIENCY



A
ENVIRONMENTALLY FRIENDLY CFC-FREE POLYURETHANE FOAM CORE PROVIDES INSULATION.



E
HIGH-DEFINITION PANEL EMBOSSEMENTS PROVIDE ELEGANT CURB APPEAL.



B
1 6" WOOD LOCK BLOCK AND JAMB SECURITY PLATE RESISTS FORCED ENTRY.




F
UNIQUE, TEXTURED WOODGRAIN DETAIL IN EVERY DESIGN REPLICATES THE TRUE LOOK OF A REAL WOOD DOOR.



C
UNFINISHED PVC JAMB, FULL NON-ROT PROTECTION



G
HIGH PERFORMANCE LITE-FRAME RESISTS DISCOLORATION AND WARPING.



D
COMPOSITE ADJUSTABLE THRESHOLD & DOOR SWEEP LIMIT AIR AND WATER INFILTRATION.



H
LVL STILES WITH COMPOSITE STILES/RAILS



MOLDED DOORLITE OPENINGS MINIMIZE LANDFILL WASTE, REINFORCE DOOR STRUCTURE AND DOORLITE SUPPORT AND PROTECT AGAINST MOISTURE.

ENHANCED APPEARANCE

MATCHING CAME, SILL AND HINGE FINISH



ZINC

PATINA

BALL BEARING HINGES REDUCE DOOR SAG AND HINGE WEAR.



ZINC

PATINA

COMPOSITE ANODIZED SILL RESISTS DETERIORATION.



ZINC

PATINA

TRIPLE-PANE DECORATIVE GLASS PROVIDES SUPERIOR INSULATION.




ENERGY STAR® CERTIFIED MODELS
AVAILABLE FOR ALL 50 STATES

SIGNAMARK.COM

THE BEAUTY OF NATURAL WOODGRAIN

AVAILABLE STYLES




CHERRY
MAHOGANY



CHESTNUT
MAHOGANY



MEDIUM
OAK



WALNUT
OAK



SMOOTH

FUNCTIONALITY

LOW MAINTENANCE.

WILL NOT DENT LIKE STEEL DOORS AND UNLIKE WOOD DOORS, RESISTS CRACKING, SPLITTING AND WARPING.

STORM DOOR COMPATIBLE*.

*COMPATIBLE WITH PROPERLY VENTED STORM DOORS.

FLEXIBILITY

PRE-FINISHED DOORS—CHOOSE FROM FOUR DURABLE FINISHES—MEDIUM OR WALNUT OAK, CHERRY OR CHESTNUT MAHOGANY.

SMOOTH-SURFACE DOORS PROVIDE AN INCOMPARABLE PAINTING SURFACE WITH NO PRIMER NEEDED.


DESIGN

WIDE STILES AND RAILS.

HIGHLY DEFINED PANEL EMBOSSEMENTS.

EXCEPTIONAL TEXTURE DEFINITION GIVING THE APPEARANCE OF REAL WOOD, WITH UNIQUE GRAIN PATTERN FOR EACH DOOR STYLE.


GLASS COLLECTIONS



ST. JANE®
ZINC PRIVACY RATING 7



LEHIGH®
PATINA PRIVACY RATING 6



PROVENCE™
ZINC PRIVACY RATING 9



STELLAR™
PATINA PRIVACY RATING 4

GLASS STYLES

- A** CLEAR TEXTURE
- B** GRAY TEXTURE
- C** GRANITE
- D** DOUBLE GRANITE
- E** GLUE CHIP
- F** GLUE CHIP BEVEL
- G** CLEAR BEVEL
- H** RIPPLE WAVE
- I** FLUTED
- J** JEWEL

PRIVACY RATING



1
LESS PRIVATE

10
MORE PRIVATE

SPECIFICATIONS & OPTIONS

STANDARD PREHUNG SPECIFICATIONS

SINGLE DOOR

- PREHUNG DOOR
- INSWING: LEFT OR RIGHT HAND
- 4-9/16" PVC WHITE UNFINISHED JAMB
- DOUBLE BORE
- BRICKMOLD OR NO BRICKMOLD



- PVC WHITE JAMB
- SHOWN WITH BRICKMOLD
- UNFINISHED
- READY TO PAINT

DOOR WITH SIDELITE(S)

- CONTINUOUS HEAD AND SILL SYSTEM

DOUBLE DOOR

- SMOOTH: WHITE ALUMINUM ASTRAGAL
- MAHOGANY/OAK: PAINTED ALUMINUM ASTRAGAL TO COMPLEMENT STAIN FINISH


UPGRADE OPTIONS

- 6-9/16" PVC WHITE UNFINISHED JAMB
- 4-9/16" HAND STAINED PVC JAMB
- 6-9/16" HAND STAINED PVC JAMB

HAND STAINED PVC JAMB UPGRADE FINISH OPTIONS



MEDIUM OAK
FINISH



WALNUT OAK
FINISH



CHERRY
FINISH



CHESTNUT
FINISH



HAND STAINED PVC JAMB IN CHESTNUT FINISH

ENERGY RATINGS

6/8 OAK WOODGRAIN AND SMOOTH STYLE FIBERGLASS ENTRY DOORS & SIDELITES

TYPE	SWING	GLAZING	1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
			U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
Fiberglass Door	Inswing & Outswing	Triple Pane – Decorative Glass	0.20	0.07	0.23	0.13	N/A	N/A	N/A	N/A
TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in		1/2 Lite ≤ 281 sq in		3/4 Lite ≤ 391 sq in		Full Lite > 391 sq in	
Fiberglass Sidelite	Inswing & Outswing	Triple Pane – Decorative Glass	N/A	N/A	N/A	N/A	0.22	0.10	0.24	0.13

Air Leakage ≤ 0.3 cfm/ft²

6/8 MAHOGANY WOODGRAIN STYLE FIBERGLASS ENTRY DOORS & SIDELITES

TYPE	SWING	GLAZING	1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
			U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
Fiberglass Door	Inswing & Outswing	Triple Pane – Decorative Glass	0.20	0.08	0.23	0.13	N/A	N/A	0.25	0.18
		Dual Pane – Craftsman 6-Lite	0.22	0.10	N/A	N/A	N/A	N/A	N/A	N/A
TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in		1/2 Lite ≤ 281 sq in		3/4 Lite ≤ 391 sq in		Full Lite > 391 sq in	
Fiberglass Sidelite	Inswing & Outswing	Triple Pane – Decorative Glass	N/A	N/A	N/A	N/A	0.24	0.10	0.26	0.13
		Dual Pane – Craftsman 2-Lite	N/A	N/A	0.21	0.05	N/A	N/A	N/A	N/A

Air Leakage ≤ 0.3 cfm/ft²

NFRC Size Designation	SIGNAMARK Door Description
1/4 Lite ≤ 410 sq in	Fanlite, Craftsman (Mahogany), Craftsman Rectangle, Center Arch, 3/4 Oval (Smooth)
1/2 Lite ≤ 900 sq in	3/4 Oval (Mahogany and Oak)
Full Lite > 1100 sq in	3/4 Lite (Mahogany)

NFRC Size Designation	SIGNAMARK Sidelite Description
1/2 Lite ≤ 281 sq in	Craftsman (Mahogany)
3/4 Lite ≤ 391 sq in	3/4 Lite, Full Lite (Oak, Smooth, Mahogany – 12"/10")
Full Lite > 391 sq in	Full Lite (Mahogany – 14")


ROUGH OPENING CHART

NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING
14"	6/8	15-1/2" X 81-5/8"	16-1/4" X 82-1/8"	18" X 82-7/8"
12"	6/8	13-1/2" X 81-5/8"	14-1/4" X 82-1/8"	16" X 82-7/8"
10"	6/8	11-1/2" X 81-5/8"	12-1/4" X 82-1/8"	14" X 82-7/8"
36"	6/8	37-1/2" X 81-5/8"	38-1/4" X 82-1/8"	40" X 82-7/8"
36"-14"SL	6/8	52-1/2" X 81-5/8"	53-1/4" X 82-1/8"	55" X 82-7/8"
36"-12"SL	6/8	50-1/2" X 81-5/8"	51-1/4" X 82-1/8"	53" X 82-7/8"
36"-10"SL	6/8	48-1/2" X 81-5/8"	49-1/4" X 82-1/8"	51" X 82-7/8"
36"-14"SL	6/8	67-1/2" X 81-5/8"	68-1/4" X 82-1/8"	70" X 82-7/8"
36"-12"SL	6/8	63-1/2" X 81-5/8"	64-1/4" X 82-1/8"	66" X 82-7/8"
36"-10"SL	6/8	59-1/2" X 81-5/8"	60-1/4" X 82-1/8"	62" X 82-7/8"
72" (36-36)	6/8	74" X 81-5/8"	74-3/4" X 82-1/8"	76-1/2" X 82-7/8"

DOORS WITH SIDELITE(S): ROUGH OPENING SIZES SHOWN ARE FOR A STANDARD CONTINUOUS HEAD AND SILL SETUP WITH UNFINISHED PVC JAMB.

THRESHOLD: INSWING UNITS—THRESHOLD HEIGHT IS 1-3/8", WHICH ALLOWS FOR APPROX. 1" OPENING CLEARANCE. IF A SPACER IS NEEDED UNDER SILL TO ALLOW FOR PROPER OPENING CLEARANCE, PLEASE ADJUST ROUGH OPENING ACCORDINGLY.

DOOR SWING & HANDING
—VIEWED FROM OUTSIDE



MAHOGANY WOODGRAIN COLLECTION:

CHERRY FINISH



ST. JANE®



LEHIGH®




LEHIGH®

PATINA
CAMING

CRAFTSMAN
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



DENTIL SHELF OPTION
AVAILABLE FOR MAHOGANY
CRAFTSMAN DOOR ONLY.

NOTE: MAHOGANY CRAFTSMAN DOOR LITE AND SIDELITE
FRAMES ARE FLUSH GLAZED DESIGN, NOT LIP LITE.

MAHOGANY FIBERGLASS.
ST. JANE® ZINC 3/4 OVAL DOOR WITH FULL LITE SIDELITES.
CHERRY FINISH

ALSO AVAILABLE

CHESTNUT FINISH

ST. JANE®

ZINC
CAMING

3/4 OVAL
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



LEHIGH®

PATINA
CAMING

3/4 LITE
DOOR
&
3/4 LITE
SIDELITE

SIDELITE
WIDTHS:
12", 10"




SIMULATED DIVIDED LITE (SDL)

(AVAILABLE IN CHESTNUT MAHOGANY ONLY)

PATINA
HARDWARE

CRAFTSMAN
DOOR (6-LITE)
&
CRAFTSMAN
SIDELITE
(2-LITE)

SIDELITE
WIDTHS:
14", 12"



DENTIL SHELF OPTION AVAILABLE FOR MAHOGANY CRAFTSMAN DOOR AND SIDELITE ONLY.

NOTE: MAHOGANY CRAFTSMAN DOOR LITE AND SIDELITE FRAMES ARE FLUSH GLAZED DESIGN, NOT LIP LITE.

ALL DOOR HEIGHTS: 6'8" ALL DOOR WIDTHS: 36"
SEE PAGE 4 FOR STANDARD PREHUNG SPECIFICATIONS




ALL DOORS AND SIDELITES IN THE MAHOGANY WOODGRAIN COLLECTION ARE ENERGY STAR CERTIFIED FOR ALL 50 STATES

OAK WOODGRAIN COLLECTION:

MEDIUM OAK FINISH

WALNUT OAK FINISH



STELLAR™



PROVENCE™



LEHIGH®

STELLAR™

PATINA
CAMING

3/4 OVAL
DOOR
&
3/4
SIDELITE

SIDELITE
WIDTHS:
14", 12"



STELLAR™

PATINA
CAMING

3/4 OVAL
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



STELLAR™

PATINA
CAMING

CENTER
ARCH DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



PROVENCE™

ZINC
CAMING

3/4 OVAL
DOOR
&
3/4
SIDELITE

SIDELITE
WIDTHS:
14", 12"



PROVENCE™

ZINC
CAMING

3/4 OVAL
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



LEHIGH®

PATINA
CAMING

CRAFTSMAN
RECT. DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



ALL DOOR HEIGHTS: 6'8" ALL DOOR WIDTHS: 36"
SEE PAGE 4 FOR STANDARD PREHUNG SPECIFICATIONS

SMOOTH FINISH COLLECTION:

READY TO BE PAINTED



PROVENCE™



LEHIGH®



SMOOTH FIBERGLASS
PROVENCE™ ZINC CENTER ARCH DOOR
WITH FULL LITE SIDELITES

PROVENCE™

ZINC
CAMING

3/4 OVAL
DOOR
&
3/4 LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12"




PROVENCE™

ZINC
CAMING

3/4 OVAL
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



PROVENCE™

ZINC
CAMING

CENTER
ARCH DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



PROVENCE™

ZINC
CAMING

FANLITE
DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"




LEHIGH®

PATINA
CAMING

CRAFTSMAN
RECT. DOOR
&
FULL LITE
SIDELITE

SIDELITE
WIDTHS:
14", 12", 10"



ALL DOOR HEIGHTS: 6'8" ALL DOOR WIDTHS: 36"
SEE PAGE 4 FOR STANDARD PREHUNG SPECIFICATIONS

LIMITED LIFETIME WARRANTY

FOR PURCHASES MADE ON OR AFTER AUGUST 1, 2018

SIGNAMARK FIBERGLASS EXTERIOR ENTRY AND PATIO DOOR SYSTEMS, DOOR SLABS AND OTHER COMPONENTS (HEREINAFTER PRODUCT) BY TRINITY GLASS INTERNATIONAL, INC. (HEREINAFTER TRINITY) ARE WARRANTED TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP THAT WOULD RENDER THE PRODUCT UNFIT FOR ITS INTENDED USE UNDER NORMAL CONDITIONS, SUBJECT TO THE CONDITIONS AND RESTRICTIONS CONTAINED HEREIN. THIS WARRANTY EXTENDS ONLY TO THE ORIGINAL PURCHASER OF THE PRODUCT (HEREINAFTER CUSTOMER) FROM TRINITY, FROM THE DATE THE PRODUCT IS FIRST PURCHASED AND EXTENDING TO THE FOLLOWING PERIODS:

LIMITED LIFETIME WARRANTY ON ALL DOOR SLABS AND SIDELITE SLABS

LIMITED LIFETIME WARRANTY ON PVC JAMBS, BRICKMOULDS AND MULLIONS

LIMITED LIFETIME WARRANTY ON DOORLITE (GLASS) FRAMES

10 YEARS LIMITED WARRANTY ON INSULATED GLASS AGAINST SEAL FAILURE

5 YEARS LIMITED WARRANTY ON FACTORY FINISH (PAINT AND STAIN)

2 YEARS LIMITED WARRANTY ON WOOD PRODUCTS (I.E. JAMBS, BRICKMOULDS, MULLION) AND ALL OTHER COMPONENTS NOT SPECIFIED IN THIS WARRANTY

THE FOLLOWING ARE EXCEPTIONS THAT MAY VOID THE WARRANTY OR ARE NOT OTHERWISE CONSIDERED TO BE DEFECTS IN MATERIAL OR WORKMANSHIP:

1. DAMAGE CAUSED BY FAILURE TO COMPLY WITH THE INSTALLATION, FINISHING AND MAINTENANCE INSTRUCTIONS AND RECOMMENDATIONS BY TRINITY.
2. DAMAGE CAUSED BY IMPROPER STORAGE AND HANDLING, ABUSE, ABNORMAL AND UNREASONABLE USE BY THE CUSTOMER OR OTHER PARTIES BEYOND THE CONTROL OF TRINITY, TO INCLUDE BUT NOT LIMITED TO DAMAGES CAUSED DURING SHIPPING, HANDLING, INSTALLATION, OR ANY ACT(S) PERFORMED TO THE PRODUCTS NOT IN COMPLIANCE WITH TRINITY'S INSTRUCTIONS AND RECOMMENDATIONS.
3. DAMAGE FROM HARSH NATURAL CONDITIONS, INCLUDING BUT NOT LIMITED TO SUBSTANTIAL EXPOSURE TO SUN, SALT SPRAY, LIGHTNING, WINDSTORMS, EARTHQUAKES, ACTS OF GOD, AND OTHER SEVERE ENVIRONMENTAL CONDITIONS INCLUDING BUT NOT LIMITED TO HARSH CHEMICALS OR SOLVENTS, SUCH AS ACIDIC BRICK WASHES OR STUCCO LEACH.
4. BROKEN OR SHATTERED GLASS, NORMAL WEAR AND TEAR OF COMPONENTS, IMPROPER MAINTENANCE, IMPROPER CLEANING, IMPROPER CAULKING, AND DAMAGE CAUSED BY PETS OR WILD ANIMALS.
5. BOWING NOT EXCEEDING 1/4 INCH IN THE PLANE OF THE DOOR. THIS SHALL BE DETERMINED BY PLACING A STRAIGHT EDGE ON THE BOWED SURFACE OF THE DOOR AND MEASURING THE POINT OF MAXIMUM DISTANCE BETWEEN THE BOTTOM OF THE STRAIGHT EDGE AND THE SURFACE OF THE DOOR, ACCOUNTING FOR PANELS AND GLAZING RECESSES.
6. FOR UNFINISHED PRODUCTS, FAILURE TO PROPERLY FINISH ALL DOOR/SIDELITE/TRANSOM SURFACES AND/OR JAMB MATERIALS WITHIN 2 WEEKS OF INSTALLATION OR 6 MONTHS FROM THE DATE OF PURCHASE, WHICHEVER IS SOONER.
7. NATURAL VARIATIONS IN COLOR OR TEXTURE OF ANY WOOD GRAIN SURFACE SHALL NOT BE CONSIDERED A DEFECT. WHEN EXPOSED TO DIRECT SUNLIGHT OVER LONG PERIODS OF TIME, DISCOLORATION MAY OCCUR, BUT THIS WILL BE WITHIN THE ACCEPTED TOLERANCES CONTAINED WITHIN 5 DELTA E UNITS, CALCULATED IN ACCORDANCE WITH ASTM E 308-85, ASTM E 805-81 AND ASTM D 2244-85, EFFECTIVE ON THE DATE THE PRODUCT IS MANUFACTURED. NON-UNIFORM FADING AND/OR COLOR CHANGES ARE NATURAL OCCURRENCES IF THE EXTERIOR SURFACES OF THE PRODUCTS ARE NOT EQUALLY EXPOSED TO THE SUN AND OTHER ENVIRONMENTAL CONDITIONS.
8. NATURAL CONDITIONS CREATED DURING THE MANUFACTURING PROCESS USED IN MAKING DECORATIVE GLASS PANELS SUCH AS BUBBLES, STREAKS AND SWIRLS IN DECORATIVE GLASS SHALL NOT BE CONSIDERED A DEFECT. IRREGULARITY IN GLASS THAT IS NOT VISIBLE FROM FARTHER THAN SIX FEET SHALL NOT BE CONSIDERED DEFECTS.
9. ANY DAMAGE CAUSED BY IMPROPER INSTALLATION OF A STORM DOOR OR THE INSTALLATION OF A NON-VENTILATING, FULL GLASS STORM DOOR SHALL VOID THIS WARRANTY.
10. THIS WARRANTY APPLIES ONLY TO PRODUCTS INSTALLED IN OWNER OCCUPIED RESIDENTIAL DWELLINGS WITHIN THE U.S., DURING THE CUSTOMER'S OWNERSHIP, AND IS NON-TRANSFERABLE.
11. REPAIRED OR REPLACED COMPONENTS ARE WARRANTED ON THE SAME TERMS AND ONLY FOR THE REMAINDER OF THE ORIGINAL WARRANTY PERIOD. COLOR AND GRAIN MATCH ARE NOT GUARANTEED. TRINITY RESERVES THE RIGHT TO DISCONTINUE OR CHANGE PRODUCTS OR COMPONENTS. IF A PRODUCT OR COMPONENT IS NOT AVAILABLE, TRINITY MAY SELECT AND PROVIDE A LIKE PRODUCT OR COMPONENT OF EQUAL QUALITY AND PRICE.

WARRANTY CLAIM PROCEDURES:

IN THE EVENT OF A DEFECT COVERED UNDER THIS WARRANTY, CUSTOMER SHALL COMPLY WITH THE FOLLOWING CLAIM PROCEDURES:

1. WRITTEN WARRANTY CLAIM SHALL BE PRESENTED TO TRINITY.
2. CUSTOMER'S WRITTEN CLAIM MUST INCLUDE THE FOLLOWING INFORMATION:
 - NATURE OR ADEQUATE DESCRIPTION OF DEFECT(S).
 - IDENTIFICATION OF PRODUCT INCLUDING SIZE, DESIGN, TYPE, AND PRODUCT NUMBER (IF AVAILABLE).
 - DATE OF PURCHASE.
 - PROOF OF PURCHASE.
3. UPON TRINITY'S REQUEST, CUSTOMER MUST PERMIT TRINITY (OR ITS REPRESENTATIVE) TO INSPECT THE CLAIMED DEFECTIVE PRODUCT AND PROVIDE PHOTOGRAPHS OF THE DEFECTIVE PRODUCT. TRINITY SHALL HAVE 30 DAYS FROM RECEIPT OF CUSTOMER'S WRITTEN CLAIM TO EXERCISE THIS OPTION TO INSPECT.

UPON RECEIPT OF A VALID CLAIM, TRINITY SHALL HAVE THE OPTION TO EITHER REPAIR THE PRODUCT OR PROVIDE A REPLACEMENT PRODUCT OF LIKE KIND AND DESIGN. FURTHER, IN LIEU OF REPAIR OR REPLACEMENT, TRINITY RESERVES THE RIGHT TO REFUND THE CUSTOMER'S PURCHASE PRICE (NOT REPLACEMENT PRICE). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

IF TRINITY ELECTS TO REFUND THE PURCHASE PRICE, THIS WARRANTY WILL BE PRORATED FROM THE DATE OF PURCHASE IN THE FOLLOWING MANNER: 0-5 YEARS, 100% OF THE ORIGINAL PURCHASE PRICE; 6-10 YEARS, PRORATED AT 75% OF ORIGINAL PURCHASE PRICE; AND 11 YEARS AND UP, 50% OF ORIGINAL PURCHASE PRICE.


TRINITY MAKES NO OTHER WARRANTY, INCLUDING A WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR REPLACEMENT EXCEPT TO THE EXTENT PROVIDED HEREIN. INVALIDATION OF ANY ONE OR MORE OF THE PROVISIONS OF THIS LIMITED WARRANTY SHALL IN NO WAY AFFECT ANY OF THE PROVISIONS IN THIS LIMITED WARRANTY WHICH REMAIN IN FULL FORCE AND EFFECT. ANY AND ALL LEGAL ACTIONS FOR ANY AND EVERY BREACH OF THIS WARRANTY SHALL BE INSTITUTED AND MAINTAINED IN ANY COURT OF COMPETENT JURISDICTION IN THE COUNTY OF KING, STATE OF WASHINGTON. TRINITY RESERVES THE RIGHT TO MODIFY THE TERMS AND CONDITIONS OF THIS WARRANTY WITHOUT PRIOR NOTICE.

FINISHING INSTRUCTIONS

SIGNAMARK HAND STAINED DOORS AND JAMBS: SIGNAMARK HAND STAINED DOORS AND JAMBS ALREADY COME WITH A POLYURETHANE UV TOP COAT WHICH PROTECTS THE DOOR DURING THE 5 YEAR FINISH WARRANTY. IT DOES NOT REQUIRE ADDITIONAL TOPCOATS AT TIME OF PURCHASE BUT YOU WILL NEED TO APPLY ADDITIONAL TOPCOATS AFTER 2-5 YEARS AS MENTIONED IN THE CARE & MAINTENANCE SECTION BELOW.

PAINTED FINISH: SMOOTH FIBERGLASS DOORS AND PVC UNFINISHED JAMBS

SMOOTH FIBERGLASS DOORS: YOU CAN USE ANY HIGH QUALITY OIL BASED OR LATEX BASED EXTERIOR PAINT. PRIMING THE DOOR IS NOT REQUIRED, BUT WE DO RECOMMEND A LIGHT SANDING WITH 600 GRIT SANDPAPER FOR BETTER PAINT ADHESION. BEFORE APPLYING A PAINT, WIPE THE DOOR AND DOORLITE FRAME WITH A DAMP CLOTH TO REMOVE ANY DIRT, OIL, OR DEBRIS. ALLOW THE SURFACE TO FULLY DRY BEFORE PAINTING. FOR A PLEASING LOOK, WE RECOMMEND PAINTING WITH STROKES IN THE DIRECTIONS SHOWN. APPLY AT LEAST TWO COATS OF PAINT, FOLLOWING THE PAINT MANUFACTURER'S RECOMMENDED INSTRUCTIONS ALONG WITH DRYING TIME BETWEEN COATS.



PVC UNFINISHED JAMBS: YOU CAN USE ANY HIGH QUALITY OIL BASED OR LATEX BASED EXTERIOR PAINT. PRIMING THE JAMB IS NOT REQUIRED, BUT BEFORE APPLYING A PAINT, WIPE THE JAMB WITH A DAMP CLOTH TO REMOVE ANY DIRT, OIL, OR DEBRIS. ALLOW THE SURFACE TO FULLY DRY BEFORE PAINTING. APPLY AT LEAST TWO COATS OF PAINT, FOLLOWING THE PAINT MANUFACTURER'S RECOMMENDED INSTRUCTIONS ALONG WITH DRYING TIME BETWEEN COATS. WE ALSO RECOMMEND FOLLOWING THE SIGNAMARK INSTALLATION INSTRUCTIONS AND PROPERLY CAULK AROUND THE BRICKMOLD, JAMB, AND THRESHOLD AREA.

CARE & MAINTENANCE

WE RECOMMEND ON ANY HAND STAINED PRODUCT THAT YOU REAPPLY A UV TOPCOAT OVER THE EXISTING TOPCOAT EVERY 2-5 YEARS TO PROTECT YOUR BEAUTIFUL ENTRYWAY FROM HARSH WEATHERING. WE DO NOT RECOMMEND STRIPPING THE FINISH. IN LOCATIONS WITH SEVERE WEATHER EXPOSURE, MORE FREQUENT MAINTENANCE MAY BE REQUIRED. CAULK AS WELL AS REPAINT YOUR DOORS AS SOON AS DETERIORATION CAN BE DETECTED.



MAHOGANY WOODGRAIN:
ST. JANE® ZINC 3/4 OVAL DOORS, CHERRY FINISH



OAK WOODGRAIN:
STELLAR™ PATINA 3/4 OVAL DOOR WITH 3/4 LITE SIDELITE,
MEDIUM OAK FINISH



SMOOTH FIBERGLASS:
LEHIGH® PATINA CRAFTSMAN RECTANGLE DOOR
WITH FULL LITE SIDELITES, PAINTED FINISH



OAK WOODGRAIN:
STELLAR™ PATINA CENTER ARCH DOORS, WALNUT OAK FINISH



MAHOGANY WOODGRAIN: LEHIGH® PATINA CRAFTSMAN
DOOR WITH FULL LITE SIDELITES, CHESTNUT FINISH



VISIT US ON THE WEB

VIEW OUR FULL LINE OF PRODUCTS ALONG
WITH HELPFUL RESOURCE INFORMATION AT
WWW.SIGNAMARK.COM




SIGNAMARK[®] DOORS

by TRINITY GLASS

EXTERIOR DOORS

The Perfect Door For Every Home

SIGNAMARK.COM



CUSTOMER SERVICE
MONDAY-FRIDAY 6:30AM - 4:30PM PST (800) 803-8182
INFO.SIGNAMARK@SIGNAMARK.COM